Plumb's Drug Handouts

Ofloxacin, Ophthalmic

(*o-**flocks**-uh-sin*)

Key Information

- Antibiotic used to treat bacterial eye infections.
- Wash your hands before applying. To prevent contamination, do not touch the dropper tip with your hands or allow it to touch your animal's eye or any other surface.
- Common side effects include mild eye redness or irritation. Crystals may be seen in the treated eye(s) for a few days after starting treatment.
- If you are applying more than one eye medication, wait 5 minutes between each medication. Apply eye drops before eye ointments.

Note: The purpose of this information sheet is to answer commonly asked questions. It does not contain all available information for this medication and is not a substitute for medical advice provided by your veterinary healthcare team.

Description	Antibiotic eye drop
Other common names	*Ocuflox*
Uses	This medication is not FDA-approved specifically for animals, but it is approved for use in humans. At the discretion of your veterinarian, this medication may be used in other species (extra-label), such as for: • Treatment of bacterial eye infections in dogs and other species
Before this medication is given	No medication is 100% safe in all patients. Discuss with your veterinarian: • Any other medications or supplements your animal is taking • Any conditions or diseases your animal currently has or has had in the past • Any side effects your animal has had to medications in the past • The risks of using this medication if your animal is pregnant or nursing
Warnings for animals	• Do **not** use in animals that are allergic to this medication or other fluoroquinolones, such as enrofloxacin or ciprofloxacin. • Certain medications are not allowed in some animal competitions. Check rules and regulations when your animal is taking a medication.
Warnings for humans	• Wash your hands after handling any medication. • Wear gloves or avoid handling if you are allergic to fluoroquinolone antibiotics.
How do I give this medication?	• Wash your hands before administration. • Do not touch the dropper tip with your hands. Do not allow the dropper tip to touch your animal's eye or any other surface. • Apply to the affected eye(s) as directed by your veterinarian. • If you are administering more than one eye medication to your animal, wait 5 minutes between each medication. Apply eye drops before applying eye ointments. *Apply exactly as your veterinarian has prescribed. Always follow the instructions on the prescription label.*
Side effects	**Common** – contact your veterinarian if any of these signs are severe, continue to occur, or worsen over time: • Mild squinting, itching, irritation, or redness of the eyes • Crystals may be seen in the treated eye(s) for a few days after starting treatment. These are harmless and will resolve on their own.

©2026 Educational Concepts, LLC, a division of Instinct

	Severe – stop the medication and contact your veterinarian immediately if you notice any of these signs: • Difficulty breathing or noisy breathing. This may be a sign of a severe allergic reaction.
How will I know it's working?	Your animal should start feeling better within 1 to 2 days. *Contact your veterinary clinic if your animal's signs worsen or do not improve.*
How long will the medication effects last?	This medication will stop working within 24 hours of the last dose.
How long do I give it for?	This medication can be given for different lengths of time. Give it for as long as your veterinarian tells you.
Overdose	Overdoses are unlikely when used in the eye, but side effects or toxicity can occur if the medication is eaten. If this happens, contact your veterinarian or an animal-specific poison control center for further advice (consultation fee applies): • **ASPCA Animal Poison Control Center**: (888) 426-4435 • **Pet Poison Helpline**: (855) 764-7661 *Have the product or label with you if possible.*
Missed dose	In most cases, if you miss a dose: • Give it when you remember, then return to the regular dosing schedule. If it is close to the time for the next dose: • Skip the missed dose. • Give the next dose at the next scheduled time. • Continue the regular dosing schedule. *If you are unsure, call your veterinary clinic. Do not double-up or give extra doses.*
Storage	• Store in the original container at room temperature. • Protect from light. • Keep out of reach of children and animals.
Disposal	Do **not** flush this medication down the toilet or wash it down the sink. Options for disposing of unused or expired medications include: • Drug take-back sites: This is preferred whenever possible. To find a site near you, contact your local law enforcement or waste management authorities. • Home disposal: Mix the medication in with coffee grounds or kitty litter, seal it in a plastic bag, and throw it away in the trash. *Do **not** save leftover medication or give it to others to use.*
Questions?	Talk to your veterinarian.

©2026 Educational Concepts, LLC, a division of Instinct